



MOOSE SPORT™

SportLastic®

Moose Sports Surfaces, Ltd.
2257 North Wayne Avenue, Suite 2C
Chicago, Illinois 60614

773.477.4664
www.mooseports.com



About SportLastic®

SportLastic® is a vulcanized rubber sport surface recommended for multi-purpose use. It is designed specifically to meet the needs of all types of athletic facilities and sporting activities.

While ideal for multi-purpose applications, this product's special textured surface makes it an outstanding choice for use on tennis courts.

SportLastic® is manufactured to exacting specifications and features performance properties including excellent force reduction, slip resistance, friction, shock absorption and durability.


Ideal For Tennis, Basketball and Track.



Moose Sports Surfaces, Ltd.
2257 North Wayne Avenue, Suite 2C
Chicago, Illinois 60614

773.477.4664
www.mooseports.com

- 1 Durable Pure Rubber Texture Layer**
- 2 Compaction Resistant Core Layer**
- 3 Shock Absorbing Base Layer**



Thickness:

SportLastic® multisport surface is available in 5, 6, 8, 10, 12, 13 and 14mm thicknesses.

Technical Data

Hardness Shore A	ASTM D 2240	60 Top/45 Bottom**
Compression Set	ASTM D 395	90
Tensile Properties / Strength	ASTM D 412-98a	550*
Tensile Properties / Elongation (%)	ASTM D 412-98a	252*
Resilience by Vertical Rebound	ASTM D 2632	68
Vertical Deformation	DIN 18032-2	0.6mm Pass*
Rolling Load	DIN 18032-2	1000N Pass*
Impact Resistance	DIN 18032-2	13Nm Pass*
Residual Impression	DIN 18032-2	0.05mm Pass*
Ball Rebound	DIN 18032-2	99% Pass*
Coefficient of Friction	ASTM D 1894-2001	1.54 Dry; 1.63 Wet
VOC Compliance	ASTM D 5116	Yes
Flammability/Critical Radiant Flux	ASTM E 648	0.59 w/cm ² Class 1
Resistance to Mold Growth	ASTM D 3273	Excellent
Optical Density of Smoke	ASTM E 662	<450, Class 1
Spike Resistance		Light Traffic Only
Color Stability		Good
Chemical Resistance		Good
UV Resistance		Good

Standard Colors:



*8mm thickness **customize upon request

Colors shown are approximations. Contact Moose Sports Surfaces, Ltd. for actual color samples.